

(30) Priority Data:

08/927,577

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Burcau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:

B63B 35/44, 35/50

A1

(11) International Publication Number: WO 99/12806

(43) International Publication Date: 18 March 1999 (18.03.99)

(21) International Application Number: PCT/US98/14718

(22) International Filing Date: 20 July 1998 (20.07.98)

(71) Applicant: McDERMOTT TECHNOLOGY, INC. [US/US]; 1450 Poydras Street, New Orleans, LA 70112 (US).

8 September 1997 (08.09.97)

(72) Inventors: MENARD, Stafford, J.; 126 Clipper Cove, Lafayette, LA 70508 (US). MILLS, Trevor, Robert, James; 20606 Laverton Drive, Katy, TX 77450 (US).


(74) Agents: LAHAYE, D., Neil et al.; McDermott Incorporated, 1450 Poydras Street, New Orleans, LA 70112 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(54) Title: MOBILE OFFSHORE BASE



(57) Abstract

A mobile offshore base (10) is formed from several individual single base units (12) that are connected together at sea to form the complete base. The complete base (10) forms a runway and support base for fixed wing and rotary wing aircraft and also provides space for stowage and transport of equipment and personnel. The single base units (12) are similar semi-submersible units that are linked together by hinges and/or U-joints to form the complete mobile offshore base (10). Each single base unit (12) is self-propelled and is also capable of independent operations at widely separated locations. The single base units are each formed from lower hulls, columns that extend upward from the lower hulls, and an upper hull attached to the columns.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	ΛΙbania	ES	Spain	LS	Lesotho	SI.	Slovenia
AL AM	Armenia	FI	Finland	· LT	Lithuania	SK	Slovakia
AM AT	Amenia	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
AZ BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	CH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	1E	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS ·	Iceland	MW	Malawi	US	United States of America
CA	Canada	JТ	Italy	MX	Mexico	UZ.	Uzbekistan
CF	Central African Republic	JP	Japan	· NE	Niger .	VN	Viet Nam
CG	Congo	KE	Kenya	. NL	Netherlands	YU	Yugoslavia
СН	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP -	Democratic People's	NZ	New Zealand	•	•
CM	Cameroon		Republic of Korea	PL	Poland		•
CN	China	KR	Republic of Korea	PT	Portugal	•	
CU	Cuba	KZ	Kazakstan	RO	Romania		
cz	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		• •
DK	Denmark	LK	Sri Lanka	SE	Sweden	٠.	
EE	Estonia	LR.	Liberia	SG	Singapore		
~~					•		

10

15

20

25

MOBILE OFFSHORE BASE

BACKGROUND OF THE INVENTION

1. Field of the Invention

The invention is generally related to a military logistics base and more particularly to a mobile base offshore.

2. General Background

In military operations, in peace or war time, the maintenance and/or replacement of material and personnel requires a base of operations. Due to political situations, as well as limitations on availability of land, it has become increasingly difficult to maintain a military presence in areas of the world far from the home country. Also, maintaining a military base in several different countries is prohibitively expensive when such bases may not all be needed on a full time basis. This leaves a need for some type of alternative base.

SUMMARY OF THE INVENTION

The invention addresses the above need. What is provided is a mobile offshore base. The mobile offshore base is formed from several individual single base units that are connected together at sea to form the complete base. The complete base forms a runway and support base for fixed wing and rotary wing aircraft and also provides space for stowage and transport of equipment and personnel. The single base units are similar semisubmersible units that are linked together by hinges and/or U-joints to form the complete mobile offshore base. Each single base unit is self-propelled and is also capable of independent operations at widely separated locations. The single base units

10

15

20

25

are each formed from lower hulls, columns that extend upward from the lower hulls, and an upper hull attached to the columns.

BRIEF DESCRIPTION OF THE DRAWINGS

For a further understanding of the nature and objects of the present invention reference should be made to the following description, taken in conjunction with the accompanying drawings in which like parts are given like reference numerals, and wherein:

- Fig. 1 is a perspective view of a single base unit of the invention.
- Fig. 2 is a typical transverse section of a single base unit of the inventon.
- Fig. 3 is a partial cutaway view of a single base unit of the invention.
- Fig. 4 is a perspective view illustrating the single base units of the invention linked together to form a mobile base.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring to the drawings, it is seen in Fig. 4 that the invention is generally indicated by the numeral 10. Mobile offshore base 10 is formed from a number of single base units 12 that are connected together at sea. Each single base unit 12 is, generally comprised of at least two buoyant lower hulls 14, columns 16, and upper hull 18.

As seen in Fig. 1 and 2, lower hulls 14 are preferably ship shaped (streamlined with symetrically faired bow and stern shapes) to allow for movement at transit and operating speeds at the efficient power and propulsion capabilities. Propulsion and

WO 99/12806 PCT/US98/14718

dynamic positioning thrusters are indicated by numeral 20.

5

10

15

20

25

A plurality of columns 16 rigidly attached to and spaced along the length of the lower hulls 14 extend upwardly therefrom.

Columns 16 are illustrated as being square or rectangular in section but may be of any suitable shape.

Upper hull 18 is rigidly attached to the upper end of columns 16 adjacent outer opposing sides of upper hull 18 such that lower hulls are spaced across the width of the upper hull and are parallel to the longitudinal axis of the upper hull. Bracing 22 rigidly attached between columns 16 and upper hull 18 provides support to minimize flexing and maintain spacing between the lower hulls 14. Upper hull 18 is sized and constructed to form an upper deck 24 and, in the configuration illustrated, three lower decks 26. Upper deck 24 serves as an aircraft runway and landing area for fixed and rotary wing aircraft as well an apron for loading and unloading the aircraft. Lower decks 26 are used for living space and storage space for equipment and supplies. Fig. 3 illustrates loading and storage capabilities.

Each single base unit 12 is provided with variable ballast tanks 28 in lower hulls 14 and columns 16. Variable ballast tanks 28 provide for operation as a semi-submersible vessel to selectively allow operation at different drafts. At transit draft, the hulls 14 are at their shallowest draft and allow for top speed. At operational draft, illustrated in Fig. 4, lower hulls 14 are fully submerged below the water surface to provide, relative to transit draft, a smaller water plane area through hull that greatly reduces pitch, roll, and heave in response to

10

15

20

25

wave action. Survival draft is selected during storms. Variable ballast tanks 28 are operated to receive or expell water ballast in a manner well known in the art.

In operation, each single base unit 12 may be used individually or one or more may be connected together as illustrated in Fig. 4 to form a mobile offshore base suitable for receiving fixed and rotary wing aircraft. In this configuration, the connected units are preferably ballasted to an operational draft as illustrated to minimize motions from waves. For the purposes of forming a mobile offshore base using five individual units 12, as well as having usable individual units, each individual unit 12 is designed to be three hundred meters in length, one hundred fifty-two meters in breath at the flight deck, and seventy-five point six meters tall. For these dimensions, each lower hull 14 is two hundred seventy meters long, thirty-eight meters wide, and sixteen meters tall, with symetrically faired bow and stern shapes. Depending upon the payload, the transit draft is expected to be between thirteen and fourteen meters. The operational draft is expected to be thirtyeight meters and the survival draft is expected to be thirty-five meters. Special marine connectors 30, seen in Fig. 1, are used to connect the units by means of hinges and/or U-joints. Special connectors are required due to the large loads encountered. Such special connectors are the subject of copending application Serial Number 08/XXX,XXX filed July 31, 1997.

Because many varying and differing embodiments may be made within the scope of the inventive concept herein taught and

because many modifications may be made in the embodiment herein detailed in accordance with the descriptive requirement of the law, it is to be understood that the details herein are to be interpreted as illustrative and not in a limiting sense.

10

15

25


What is claimed as invention is:


- 1. A floating mobile offshore base, comprising a plurality of single base units connected together, each of said single base units comprising:
 - at least two buoyant lower hulls;
 - b. a plurality of columns spaced along the length of said lower hulls and extending upward therefrom; and
 - c. an upper hull attached to the upper end of said columns such that said lower buoyant hulls are spaced across the width of said upper hull and each of said lower hulls extends substantially parallel to the longitudinal axis of said upper hull.
- 2. The mobile offshore base of claim 1, wherein said single base units are connected together to form an aircraft runway and apron.
 - 3. The mobile offshore base of claim 1, wherein the draft of each of said single base units is selectively adjustable.
 - 4. The mobile offshore base of claim 1, wherein said single base units are connected together end to end.
- 5. The mobile offshore base of claim 1, wherein said single base units are self-propelled.
 - 6. A floating mobile offshore base, comprising a plurality of self-propelled single base units connected together to form an aircraft runway and apron, each of said single base units comprising:
 - a. at least two buoyant lower hulls;
 - b. a plurality of columns spaced along the length of

10


said lower hulls and extending upward therefrom; and

- c. an upper hull attached to the upper end of said columns such that said lower buoyant hulls are spaced across the width of said upper hull and each of said lower hulls extends substantially parallel to the longitudinal axis of said upper hull.
- 7. The mobile offshore base of claim 6, wherein the draft of each of said single base units is selectively adjustable.
- 8. The mobile offshore base of claim 6, wherein said single base units are connected together end to end.






F1G.3



SUBSTITUTE SHEET (RULE 26)



INTERNATIONAL SEARCH REPORT

International application No. F '/US98/14718

CLASSIFICATION OF SUBJECT MATTER	
PC(6) : B63B 35/44, 50	
JS CL: 114/261 cording to International Patent Classification (IPC) or to both national classification and IPC	
FIELDS SEARCHED	,
nimum documentation searched (classification system followed by classification symbols)	
J.S. : 114/261.265	
cumentation searched other than minimum documentation to the extent that such documents are included in	the fields searched
ióne	
ectronic data base consulted during the international search (name of data base and, where practicable,	search terms used)
none	
••••	
DOCUMENTS CONSIDERED TO BE RELEVANT	
ategory* Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
US 1,854,336 A (KING) 19 APRIL 1932 (19.04.32). See entire	1-7
document.	
	ł
US 2,399,611 A (ARMSTRONG) 07 MAY 1946 (07.05.46). See	1-7
entire document.	
	-
US 2,238,974 A (CREED) 22 APRIL 1941 (22.04.41)	1-7
	_
	·
	<u> </u>
Purther documents are listed in the continuation of Box C. See patent family annex.	. ,
erre leter document published after the i	nternational filing date or priority
Special categories of cited documents: A document defining the general state of the art which is not considered A the principle or theory underlying the	bication but cited to understand
to be of particular relevance	the claimed invention cannot be
E* earlier document published on or after the international filing date considered novel or cannot be const L* document which may throw doubts on priority claim(s) or which is when the document is taken alone	queq to madnae en macumae such
cited to establish the publication date of another citation or other	the claimed invention cannot be
special reason (as specified) considered to involve an invention of other combined with one or more others combined with one or more others being obvious to a person keiled in the combined with one or more others.	uch documents, such combination
means	
p- document published prior to the international filing data but later than *A document member of the same pat the priority date claimed	ant taugna
Date of the actual completion of the international search Date of mailing of the international	report
10 110 11	
24 AUGUST 1998	- Chank
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Authorized officer Authorized	na / nave
Box PCT / D. GLEN DAYUAN	
Washington, D.C. 20231 Recsimile No. (703) 305-3230 Telephone No. (703) 308-3102	